



Desktop Barcode Printer

TTP-286MT Series

Direct Thermal • Thermal Trasfer

Series Models

TTP-286MT

TTP-384MT

A large, light blue background graphic covers the middle section of the page. It features a faint, stylized representation of a circuit board with various components like chips and connectors. Overlaid on this is a large, semi-transparent 'TSC' logo. Several QR codes and barcode segments are also visible, scattered across the circuitry.

Release Note

Copyright

©2023 TSC Auto ID Technology Co., Ltd.

The copyright in this manual, the software and firmware in the printer described are owned by TSC Auto ID Technology Co., Ltd. All rights reserved.

CG Triumvirate is a trademark of Agfa Corporation. CG Triumvirate Bold Condensed font is under license from the Monotype Corporation. Windows is a registered trademark of Microsoft Corporation.

All other trademarks are the property of their respective owners. Information in this document is subject to change without notice and does not represent a commitment on the part of TSC Auto ID Technology Co. No part of this manual may be reproduced or transmitted in any form or by any means, for any purpose other than the purchaser's personal use, without the expressed written permission of TSC Auto ID Technology Co.

Contents

A2.18 Release Note.....2

A2.18 Release Note

1. Fix the issue where the idle timeout function was not working and resolve the access error.
2. Add linerless cutter function.
3. Add TSPL2 PRTSECURE ON/OFF Command to enable or disable the Print Secure feature.
4. Add Print Secure function
5. Add TSPL2 EXPORT PRTSECURE command for clone Print Secure setting.
6. Add TSPL2 EXPORT FIRMWARE 、 EXPORT CONFIG command for clone config or FW file setting.
7. Fix Error in Media webpage settings: unable to select units.
8. Fix the download fonts cause delays at the start of printing.

