

8350-HS High Speed

Thermal Transfer Ribbon

A highly versatile formulation with superior print quality on a wide range of papers and synthetics. 8350-HS is capable of printing in a broad area of heat settings and high speeds, supporting up to 18ips with excellent edge definition and image density. Has excellent smudge and scratch resistance and outstanding durability against a variety of common chemicals. High print sensitivity saving energy and allowing for a longer print head lifecycle.

RECOMMENDED APPLICATIONS:



RIBBON PROPERTIES:


Ink Formulation	Wax/Resin
Color	Black
Base Film Thickness	4.8 µm.
Total Thickness	8.3 µm.
Ink Transfer Temperature	188°F/87°C
Print speed up to	6 IPS

CERTIFICATIONS:

ISO
RoHS
REACH
ISEGA

SUBSTRATE COMPATIBILITIES:

Paper
Synthetics



Store between 5-35°C, 20-80% relative humidity, keep away from heat and direct sunlight.

The information on this data sheet was obtained in manufacturer laboratories and is subject to change without notification. Please note that measured values may vary slightly when tested in a different environment.

Why choose Genuine Supplies?

Guaranteed Quality

Genuine Supplies are manufactured to strict quality standards to ensure optimum performance and user satisfaction.

Guaranteed Compatibility

From core to cut, Genuine Supplies are designed to work flawlessly through your TSC & Printronix Auto ID printer.

Consistent Performance

From the first label to the last and from one order to the next, Genuine Supplies will provide clear, crisp imaging and consistent performance.

"No Worry" Reliability

Quality control, manufacturing and component standards ensure "No Worry" reliability.



Powered by



A **TSC** Company

CONTACT OUR SUPPLIES EXPERTS

TSC Auto ID Technology EMEA GmbH | Georg-Wimmer-Ring 8b | 85604 Zorneding | Germany

emea_sales@tscprinters.com | +49 (0) 8106 37979 000 | TSC Auto ID [tscprinters.com](https://www.tscprinters.com)